

Day :
Wednesday
Date:
10/13/2004
Time: 12:58:41


PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = OKAMOTO

First Name = SATOSHI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 48 |
|-----------------|---------------|--------|------------|---|---------------------|
| <u>10839716</u> | Not Issued | 020 | 05/06/2004 | METHOD FOR FABRICATION OF POLYMER OPTICAL WAVEGUIDE AND POLYMER OPTICAL WAVEGUIDE | OKAMOTO, SATOSHI |
| <u>10824475</u> | Not Issued | 020 | 04/15/2004 | LIQUID-CRYSTALLINE POLYESTER SOLUTION COMPOSITION | OKAMOTO, SATOSHI |
| <u>10799710</u> | Not Issued | 030 | 03/15/2004 | SOLUTION COMPOSITION OF AROMATIC LIQUID- CRYSTALLINE POLYESTER | OKAMOTO, SATOSHI |
| <u>10763385</u> | Not Issued | 020 | 01/26/2004 | HIGH DIELECTRIC RESIN COMPOSITION | OKAMOTO, SATOSHI |
| <u>10736635</u> | Not Issued | 030 | 12/17/2003 | AROMATIC LIQUID- CRYSTALLINE POLYESTER AND FILM THEREOF | OKAMOTO, SATOSHI |
| <u>10704634</u> | Not Issued | 020 | 11/12/2003 | ANTIFOULING COATING | OKAMOTO, SATOSHI |
| <u>10697888</u> | Not Issued | 071 | 10/31/2003 | AROMATIC LIQUID- CRYSTALLINE POLYESTER SOLUTION COMPOSITION | OKAMOTO, SATOSHI |
| <u>10647379</u> | Not Issued | 041 | 08/26/2003 | METHOD FOR PRODUCING A LIQUID CRYSTALLINE POLYESTER AND THE LIQUID CRYSTALLINE POLYESTER | OKAMOTO, SATOSHI |
| | | | | | |

| | | | | | |
|-----------------|----------------|-----|------------|--|---------------------|
| <u>10638305</u> | Not Issued | 030 | 08/12/2003 | ANTIFOULING COATING | OKAMOTO, SATOSHI |
| <u>10621388</u> | Not Issued | 030 | 07/18/2003 | AROMATIC LIQUID- CRYSTALLINE POLYESTER FILM AND METAL LAMINATED ARTICLE | OKAMOTO, SATOSHI |
| <u>10476282</u> | Not Issued | 020 | 05/12/2004 | STREAM DATA PROCESSING DEVICE, STREAM DATA PROCESSING METHOD, PROGRAM, AND MEDIUM | OKAMOTO, SATOSHI |
| <u>10468678</u> | Not Issued | 020 | 08/21/2003 | MULTI-FORMAT TRANSPORT STREAM DECODER | OKAMOTO, SATOSHI |
| <u>10387842</u> | Not Issued | 093 | 03/14/2003 | LIQUID CRYSTALLINE POLYESTER RESIN COMPOSITION AND ITS MOLDED ARTICLE | OKAMOTO, SATOSHI |
| <u>10386434</u> | Not Issued | 041 | 03/13/2003 | MICRO POWDER AND METHOD FOR PRODUCING THE SAME | OKAMOTO, SATOSHI |
| <u>10372301</u> | Not Issued | 071 | 02/25/2003 | AROMATIC POLYESTER | OKAMOTO, SATOSHI |
| <u>10363256</u> | Not Issued | 020 | 03/07/2003 | STREAM DECODING APPARATUS | OKAMOTO, SATOSHI |
| <u>10357334</u> | <u>6680002</u> | 150 | 02/04/2003 | LIQUID CRYSTALLINE POLYESTER RESIN COMPOSITION FOR A CONNECTOR | OKAMOTO, SATOSHI |
| <u>10314231</u> | Not Issued | 093 | 12/09/2002 | VEHICLE INFORMATION PROVIDING APPARATUS, ON-VEHICLE INFORMATION PLAYING APPARATUS, VEHICLE INFORMATION PROVIDING METHOD AND ON-VEHICLE INFORMATION PLAYING METHOD | OKAMOTO, SATOSHI |
| <u>10289330</u> | <u>6755992</u> | 150 | 11/07/2002 | LIQUID CRYSTALLINE POLYESTER AND METHOD FOR PRODUCING THEREOF | OKAMOTO, SATOSHI |
| <u>10287597</u> | Not Issued | 030 | 11/05/2002 | METHOD OF AND APPARATUS FOR | OKAMOTO, SATOSHI |

| | | | | | |
|-----------------|----------------|-----|------------|---|------------------|
| | | | | CUSTOMER PREFERENCE ESTIMATION | |
| <u>10253768</u> | <u>6649730</u> | 150 | 09/23/2002 | AROMATIC POLYESTER AMIDE | OKAMOTO, SATOSHI |
| <u>10234709</u> | Not Issued | 093 | 09/05/2002 | AROMATIC POLYIMIDE ESTER AND METHOD FOR PRODUCING THEREOF | OKAMOTO, SATOSHI |
| <u>10227860</u> | Not Issued | 090 | 08/27/2002 | LIQUID CRYSTALLINE POLYESTER RESIN COMPOSITION AND MOLDED PRODUCT THEREOF | OKAMOTO, SATOSHI |
| <u>10178592</u> | <u>6623789</u> | 150 | 06/25/2002 | METHOD FOR FABRICATING A MAGNETIC RECORDING MEDIUM | OKAMOTO, SATOSHI |
| <u>10142777</u> | Not Issued | 030 | 05/13/2002 | PROCESS FOR PRODUCING PURIFIED POLYETHER SULFONES | OKAMOTO, SATOSHI |
| <u>10130267</u> | <u>6777632</u> | 150 | 05/24/2002 | MULTIFUNCTIONAL SWITCH STRUCTURE | OKAMOTO, SATOSHI |
| <u>10128239</u> | <u>6797345</u> | 150 | 04/24/2002 | AROMATIC LIQUID-CRYSTALLINE POLYESTER METAL LAMINATE | OKAMOTO, SATOSHI |
| <u>10101774</u> | Not Issued | 041 | 03/21/2002 | INSULATING RESIN COMPOSITION FOR MULTI-LAYERED PRINTED CIRCUIT WIRING BOARD, MULTI-LAYERD PRINTED CIRCUIT WIRING BOARD USING THE PARTICULAR RESIN COMPOSITION, AND MANUFACTURING THE SAME | OKAMOTO, SATOSHI |
| <u>10046302</u> | Not Issued | 092 | 01/16/2002 | PROCESS FOR PRODUCING AROMATIC LIQUID CRYSTAL POLYESTER | OKAMOTO, SATOSHI |
| <u>09949895</u> | <u>6766249</u> | 150 | 09/12/2001 | APPARATUS FOR PROVIDING INFORMATION FOR PERSONS IN VEHICLE | OKAMOTO, SATOSHI |
| <u>09938621</u> | <u>6512079</u> | 150 | 08/27/2001 | LIQUID CRYSTALLINE POLYESTER AND METHOD FOR | OKAMOTO, SATOSHI |

| | | | | | |
|-----------------|----------------|-----|------------|---|---------------------|
| | | | | PRODUCING THE SAME | |
| <u>09930957</u> | Not Issued | 041 | 08/17/2001 | TITANIUM OXIDE FILM AND PRODUCTION APPARATUS OF TITANIUM OXIDE FILM | OKAMOTO, SATOSHI |
| <u>09915475</u> | Not Issued | 092 | 07/27/2001 | AROMATIC LIQUID- CRYSTALLINE POLYESTER SOLUTION COMPOSITION | OKAMOTO, SATOSHI |
| <u>09843073</u> | Not Issued | 093 | 04/27/2001 | PRESS BUTTON SWITCH AND METHOD OF MANUFACTURING THE SAME | OKAMOTO, SATOSHI |
| <u>09842869</u> | <u>6444928</u> | 150 | 04/27/2001 | MULTIPLE PUSH BUTTON MATRIX SWITCH WITH PERMEABLE FILM FLANGED PORTION AND HERMETIC SEALING | OKAMOTO, SATOSHI |
| <u>09833649</u> | Not Issued | 041 | 04/13/2001 | IMAGE DATA TRANSMITTING DEVICE AND METHOD | OKAMOTO, SATOSHI |
| <u>09818733</u> | Not Issued | 161 | 03/28/2001 | ANTIFOULING COATING | OKAMOTO, SATOSHI |
| <u>09815160</u> | <u>6779482</u> | 150 | 03/22/2001 | PLASMA DEPOSITION DEVICE FOR FORMING THIN FILM | OKAMOTO, SATOSHI |
| <u>09606224</u> | <u>6303888</u> | 150 | 06/29/2000 | SWITCH, CLICK PLATE AND SWITCH AND METHOD OF ATTACHING CLICK PLATE FOR SWITCH | OKAMOTO, SATOSHI |
| <u>09553148</u> | <u>6297134</u> | 150 | 04/20/2000 | DEPOSITION OF TITANIUM OXIDE FILM CONTAINING DOPING ELEMENT ON SI SUBSTRATE | OKAMOTO, SATOSHI |
| <u>09463215</u> | <u>6738528</u> | 150 | 01/21/2000 | BLOCK NOISE DETECTOR AND BLOCK NOISE ELIMINATOR | OKAMOTO, SATOSHI |
| <u>09413538</u> | <u>6225492</u> | 150 | 10/06/1999 | PURIFICATION METHOD OF CYANATE | OKAMOTO, SATOSHI |
| <u>09403189</u> | <u>6332024</u> | 150 | 10/19/1999 | PORTABLE TERMINAL | OKAMOTO, SATOSHI |
| <u>09377744</u> | <u>6603035</u> | 150 | 08/20/1999 | METHOD FOR PRODUCING HIGH PURITY CYANATE | OKAMOTO, SATOSHI |

| | | | | | |
|-----------------|----------------|-----|------------|---|-------------------|
| <u>09351847</u> | <u>6429899</u> | 150 | 07/13/1999 | VIDEO DISPLAY APPARATUS WITH SCAN CONVERSION AND REVERSION AND A VIDEO DISPLAY METHOD USING SCAN CONVERSION AND REVERSION | OKAMOTO , SATOSHI |
| <u>09110237</u> | <u>6177500</u> | 150 | 07/06/1998 | AROMATIC POLYESTER COMPOSITION | OKAMOTO , SATOSHI |
| <u>08205488</u> | Not Issued | 161 | 03/03/1994 | MAGNETIC RECORDING AND REPRODUCING APPARATUS HAVING A DRUM WHOSE AXIS IS MOVABLE RELATIVE TO AN AXIS OF A TAPE REEL | OKAMOTO , SATOSHI |
| <u>08166291</u> | Not Issued | 161 | 12/13/1993 | MAGNETIC RECORDING AND/OR REPRODUCING APPARATUS | OKAMOTO , SATOSHI |

Inventor Search Completed: No Records to Display.

| | | | |
|---------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|
| Search Another: Inventor | Last Name | First Name | <input type="button" value="Search"/> |
| | <input type="text" value="okamoto"/> | <input type="text" value="satoshi"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| L. Number | Hits | Search Text | DB | Time stamp |
|-----------|------|---|---|---------------------|
| 1 | 0 | crystalline near5 polyester and hydroxy near2 naphthoic and diol and (dicarboxylic or terephthalic or isophthalic) and film and solvent near50 phenol | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 12:34 |
| 2 | 24 | crystalline near5 polyester and hydroxy near2 naphthoic and diol and (dicarboxylic or terephthalic or isophthalic) and film and solvent near50 phenol | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 12:35 |
| 4 | 1 | crystalline near5 polyester and hydroxy near2 naphthoic and diol and (dicarboxylic or terephthalic or isophthalic) and film and solvent near50 phenol and layer\$ and laminate\$ and dielectric\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 12:35 |
| 5 | 1 | crystalline near5 polyester and hydroxy near2 naphthoic and diol and (dicarboxylic or terephthalic or isophthalic) and film and solvent near50 phenol and layer\$ and laminate\$ and dielectric\$ and powder | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 12:36 |
| 6 | 1 | crystalline near5 polyester and hydroxy near2 naphthoic and diol and (dicarboxylic or terephthalic or isophthalic) and film and solvent near50 phenol and layer\$ and laminate\$ and dielectric\$ and powder and halogen\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 12:38 |
| 3 | 6 | crystalline near5 polyester and hydroxy near2 naphthoic and diol and (dicarboxylic or terephthalic or isophthalic) and film and solvent near50 phenol and layer\$ and laminate\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 13:19 |
| 8 | 2 | crystalline near5 polyester and hydroxy near2 naphthoic and diol and (dicarboxylic or terephthalic or isophthalic) and film and solvent near50 phenol and layer\$ and laminate\$ and (dihydroxybiphenyl or dihydroxydiphenyl) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 13:13 |
| 9 | 3 | "6210872" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 13:19 |
| 10 | 1 | "6210872" and naphthoic | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 13:24 |
| 11 | 0 | "6210872" and cast\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 13:25 |
| 12 | 1 | "6210872" and remov\$ near20 solvent | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 13:30 |
| 13 | 1 | "6210872" and remov\$ near20 solvent and mold\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 13:31 |
| 14 | 0 | "6210872" and remov\$ near20 solvent and extrud\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/13 13:31 |